

Best of Texas

Landscapes



Maintenance Check List

Installation Completion Date: 8-3-15

Address: 100 Adorno Ln.


The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.


Irrigator/Date

Irrigation Technician/ Date



Best of Texas

Landscapes



PO BOX 776
HUTTO, TX 78634

(512)228-4833
(512)852-9633 fax

Zone #	Description	Head Type	Run Time(Minutes)
1-3	Beds	Sprays-Bubblers	10-12 min.
4-8	Turf	Sprays	25 min.
9-11	Turf	Rotors	45 min.
12	Grass	Drip	30 min.

Month	Average Cycles
Jan.	3
Feb.	3
March	4
April	3
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	6
Dec.	3

Reduced Pressure Assembly (RPA) – Check annually for debris if applicable
Backflow device – Test Annually (Call Louis Sinclair 563-8762)

Y-strainer – Check annually for debris

Heads – Run system monthly to check for leaks or broken nozzles

Valve covers – Trim grass around cover to expose

Controller – Check seasonally for correct run times

Winter – Run system briefly every 2 weeks if system remains in off position

Irrigation

Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius
Sprinklers						
12	●	Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft
30	●	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
21	●	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft
2	○	Rain Bird 1300A-F	1300A-F	30 psi	1.7 gpm	0 ft
6	●	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft
7	●	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
39	●	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	8 ft
16	●	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft
Meters/Pumps						
1	■	Wilkins 350 - 3/4"	350 - 3/4"			
Backflow Devices						
1	●	Wilkins 350 - 3/4"	350 - 3/4"			
Control Valves						
13	●	Rain Bird 100-DVF	100-DVF			
Y-Strainers / Filters						
1	—	Febco 650A-1"	4305			
Irrigation Accessories						
1	×	Nelson 9501-100IN	9501-100IN			
1	▲	Rain Bird E-4c	E-4c			
1	■	Rain Bird RSD-BEx	RSD-BEx			
Lateral Line Pipe						
1494 ft		Class 200 1"		0		
Mainline Pipe						
309 ft		Class 200 1"		0		
Drip Tubing						
464 ft		Rain Bird LD-09-12	LD-09-12			

Water Source #1

Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	0 ft

Service Line Information


Pipe Category	Class 200 PVC
Pipe Size	Class 200 3/4"
Length	5 ft
Velocity	5 fps

Recommendations

Maximum Recommended Flow	10.59 gpm
Available Working Pressure	58.15 psi

100 ADORNO LN

Design pressure all zones 65psi.



**JASON STUBBLEFIELD
8/3/2015**

