

Maintenance Check List

Installation Completion Date: 12-5-15

Address: 3817 Venezia View

The following items have been provided and explained to the irrigation system owner or system owner's representative.

- · The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



Irrigator/Date

Irrigation Technician/ Date

# Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone #	Description	Head Type	Run Time(Minutes)
1-2	bed	Spray-bubler	10-12
3-5	turf	sprays	25
6-14	turf	no tors	45

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

#### **MAINTENANCE ITEMS**

Backflow device - Test Annually (Call Louis Sinclair 563-8762)

Y-strainer - Check annually for debris

Heads - Run system monthly to check for leaks or broken nozzles

Valve covers - Trim grass around cover to expose

Controller - Check seasonally for correct run times

Winter - Run system briefly every 2 weeks if system remains in off position

Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius
Sprinkle	rs					
2		Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft
32	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
23	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft
3	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
2		Rain Bird 5000-MPR-30-F - 5004-PL-FC	MPR-30-F	45 psi	5.78 gpm	30 ft
16	•	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft
21	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
12	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	8 ft
17	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft

Water Source #1		
Meter Size	5/8 inch meter	
Static Pressure	65 psi	
Elevation Change	0 ft	
Service Line Information		
Pipe Category	Class 200 PVC	
Pipe Size	Class 200 1"	
Length	5 ft	
Velocity	5 fps	
Recommendations		
Maximum Recommended Flow	13 gpm	
Available Working Pressure	58.39 psi	

17		Rain Bird 8Q - 1804	8Q
Meters/Pr	umps		
1	M		
Backflow	Device	5	
1	66	Febco 715 - 1"	715 - 1"
Control V	/alves		
15	€	Rain Bird 100-DVF	100-DVF
Y-Straine	rs / Filte	ers	
1	-	Febco 650A-1"	4305
Irrigation	Access	ories	
1	M	Nelson 9501-100IN	9501-100IN
1	A	Rain Bird ESP-4Me	ESP4ME
1	H	Rain Bird RSD-BEx	RSD-BEx
Lateral Li	ne Pipe		
870 ft		Class 200 1"	0
Mainline	Pipe		
0100	1	Tai 000 18	To.

#### 3817 VENEZIA VIEW

Design pressure all zones 65psi.





## 12 1-14.52 GPM ZONE 12 ZONE 13 ZONE 9 ZONE 10 ZONE 6

### JASON STUBBLEIELD 12/5/2015

