

Maintenance Check List

21200000					march a Miles	
Address:	2	35	Sen	na	Drive	magasa sebbera.

The following items have been provided and explained to the irrigation system owner or system owner's representative.


- The manufacturer's manual for the controller.
- A seasonal watering schedule.

Installation Completion Date: 4-12-110

- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



Best of Lessons Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
	bed	Ispray-bubb	cer 10-12
2-4	lturf	sprais	25
5-6	turf	votors	45
7	Va VUSS	dnip	36
	O .		
an gan sang dan gan anag ang kanada da da ka ka ka ka da			
	au de la company	Secretaria	**

Month	Average Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

MAINTENANCE ITEMS


Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Quantity Sprinklers 2 27		Description	Part Number	Pressure	Flow	Radius
2 27	•				1 1040	nadius
27						
27		Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft
40	0	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
19	0	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft
2	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
2	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft
19 2 2 5 7	0	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
7	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	8 ft
10	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	
Meters/Pu	mps					
1	[M)					
Backflow I	Devices		***************************************			
1	⊛	Febco 715 - 1"	715 - 1"			
Control Va	lves					
8	•	Rain Bird 100-DVF	100-DVF			
Y-Strainer	s / Filters	S				
1	can .	Febco 650A-1"	4305			
Irrigation A	Accessor	ries				
1	M	Nelson 9501-100IN	9501-100IN			
1	A	Rain Bird ESP-4Me	ESP4ME			
1	-	Rain Bird RSD-BEx	RSD-BEx			
Lateral Lin	e Pipe					
809 ft		Class 200 1"	0			
Mainline P	ipe			9		
		Class 200 1"	0			
Drip Tubin	q		Martine Martin	L.		
94 ft		Rain Bird LD-09-12	LD-09-12			

Water Source #1	
Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	0 ft
Service Line Information	
Pipe Category	Class 200 PVC
	Class 200 48
Pipe Size	Class 200 1"
Pipe Size Length	5 ft

Recommendations	
Maximum Recommended Flow	13 gpm
Available Working Pressure	58.39 psi

235 SENNA DRIVE Design pressure all zones 65psi.





JASON STUBBLEFIELD 4/12/2016

