

Maintenance Check List
Installation Completion Date: 8-12-16
Address: 851 Catalina Lane
The following items have been provided and explained to the irrigation system owner or system owner's representative.
 The manufacturer's manual for the controller. A seasonal watering schedule. A list of components that require maintenance and the recommended frequency of maintenance is attached A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information. The corrected or re-drawn design plans indicating the actual installation and components of the system. Location and operation of the isolation valve.
Irrigation system owner/representative Date
This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.
Irrigator/Date

Irrigation Technician/ Date

Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)		
	bed	Head Type Spray-bubbl	ers 10-12		
2-5	turf	sovays	25		
6-7	turf	notors	45		
			de la companya del companya de la companya del companya de la comp		

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3


MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigati	on					
Quantity						
Sprinklers		Description	Part Number	Pressure	Flow	Radius
	_					1.1000100
31	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10.6
	<u> </u>	Rain Bird 10Q	10Q	30 psi	0.79 gpm	
1	0	Rain Bird 1300A-F	1300AE	30 psi	1.7 gpm	0 ft
8	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	
9	0	Rain Bird 8Q - 1804		30 psi	0.52 gpm	0.00
Meters/Pu	mps		1	00 psi	0.26 gpm	οπ
1	M					
Backflow [Devices					
1		Febco 715 - 1"				
Control Va		1 0000 7 10 - 1	715 - 1"			
8			***			
	•	Rain Bird 100-DVF	100-DVF			
Y-Strainers	s / Filters					
1		Febco 650A-1"	4305			
Irrigation A	ccessor	ies	1000			
1	M	Nelson 9501-100IN	0F04 400IN			
1		Dais Dist FOD 414	9501-100IN			
1		Dai- Di I DOD DE	ESP4ME			
Lateral Line	e Pipe		RSD-BEx			
891 ft -		Class 200 1"				
Mainline Pi		Oldos 200 1	0			
1001[Class 200 1"	0			

Meter Size	5/8 inch meter		
Static Pressure	65 psi		
Elevation Change	0 ft		
Service Line Information			
Pipe Category	Class 200 PVC		
Pipe Size	Class 200 1"		
Length	5 ft		
Velocity	5 fps		
Recommendations			
Maximum Recommended Flow	13 gpm		
Available Working Pressure	58.39 psi		

851 CATALINA LANE Design pressure all zones 65psi.





JASON STUBBLEFIELD 8/12/2016

