

Maintenance Check List

Installation Completion Date: <u>8-31-16</u>

Address: 18014 Ruby Lace Road


The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

8-31-16 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



| 8/31/2016 | Irrigator/Date

Irrigation Technician/ Date

Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
1-2	bed	Soray-bub	10-12
3-4	ture	Spraus	25
7-12	porf	10 tors	45
13	grass	dhp	30
	V		
######################################			
	- Andrews		and the state of t

Month	Average		
	Cycles		
Jan.	3		
Feb.	3		
March	4		
April	4		
May	7		
June	9		
July	11		
Aug.	11		
Sept.	9		
Oct.	6		
Nov.	4		
Dec.	3		

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius
Sprinkler	S					
2		Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft
2 23 23 2 5 8	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
23	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft
2	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
5		Rain Bird 5000-MPR-30-F - 5004-PL-FC	MPR-30-F	45 psi	5.78 gpm	30 ft
8	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft
10	٠	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
14	0	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	
14	0	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft
Meters/Pr	ımps					
1	M		I			
Backflow	Devices			•		
1	(60)	Febco 715 - 1"	715 - 1"	1		
Control V	alves	Let a consider a successive of the control of the c				
14	a	Rain Bird 100-DVF	100-DVF	1		
Y-Straine	rs / Filter	S	A			
1	CED CE	Febco 650A-1"	4305			
Irrigation	Accesso	ries				
1	M	Nelson 9501-100IN	9501-100IN			
1	A	Rain Bird ESP-4Me	ESP4ME			
1		Rain Bird RSD-BEx	RSD-BEx			
Lateral Li	ne Pipe	,				
824 ft		Class 200 1"	0			
Mainline	Pipe					
209 ft		Class 200 1"	0			
		L-2:33-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	L	,		
Drip Tubi	na					

Water Source #1	[[[]]]		
Meter Size	5/8 inch meter		
Static Pressure	65 psi		
Elevation Change	0 ft		
Service Line Information			
Pipe Category	Class 200 PVC		
Pipe Size	Class 200 1"		
Length	5 ft		
Velocity	5 fps		
Recommendations			
Maximum Recommended Flow	13 gpm		
Available Working Pressure	58.39 psi		

18014 RUBY LACE ROAD Design pressure all zones 65psi,





JASON STUBBLEFIELD 8/31/2016

