

Maintenance Check List

Installation Completion Date: 9-2-16

Address: 2317 yaupon Range Drive

The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative $\frac{9-2-1}{\sqrt{2}}$

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.

9/2/2016

Irrigator/Date

Irrigation Technician/ Date

JASON E STUBBLEFIELD

12003
9/ster

Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
	hed	sprau-blo.	10-12
2-4	lturf	Spraus	25
5-6	turf	notions	45
1	grass	drip	30
	J		
	and the second s		

Month	Average	
	Cycles	
Jan.	3	
Feb.	3	
March	4	
April	4	
May	7	
June	9	
July	11	
Aug.	11	
Sept.	9	
Oct.	6	
Nov.	4	
Dec.	3	

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigation							
Quantity		Description	Part Number	Pressure	Flow	Radius	
Sprinkler		Door i paori	i di citalibei	11035010	7 1010	radius	
2		Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft	
21	0	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm		
16	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft	
2	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft	
4	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft	
4	٥	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft	
7	0	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm		
11	0	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft	
Meters/Pu	umps	33					
1	M						
Backflow	Devices						
1	60	Febco 715 - 1"	715 - 1"				
Control V	alves						
8	•	Rain Bird 100-DVF	100-DVF				
Y-Straine	rs / Filter	S					
1	em	Febco 650A-1"	4305				
Irrigation	Accesso	ries	I				
1	M	Nelson 9501-100IN	9501-100IN				
1	▲	Rain Bird ESP-4Me	ESP4ME				
1		Rain Bird RSD-BEx	RSD-BEx				
Lateral Li	ne Pipe						
630 ft		Class 200 1"	0				
Mainline I	Pipe			a)			
211 ft		Class 200 1"	0				
Drip Tubi	ng			•			
48 ft		Rain Bird LD-09-12	LD-09-12				

Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	0 ft
Service Line Information	
Pipe Category	Class 200 PVC
Pipe Size	Class 200 1"
Length	5 ft
Velocity	5 fps
Recommendations	
Maximum Recommended Flow	13 gpm
Available Working Pressure	58.39 psi

2317	YAUPON	RANG	E DRIVE	
Desig	n pressu	re all ze	ones 65ps	si.





JASON STUBBLEFIELD 9/2/2016



