

Maintenance Check List

Installation Completion Date: 9-21-16

Address: 73/2 Pace Zevine

The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

9-21-16 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.

JASON E STUBBLEFIELD

12003

STERMAN

STORY

Irrigator/Date 9/21/2010

Irrigation Technician/ Date



POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone #	Description	Head Type	Run Time(Minutes)
1-2	bed	Sprou-buk	10-12
3-6	turf	spralis	75
7-9	turf	Notors	45
10	aruss	dnP	30
	V		
			T.

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position


Irrigat		Description	Part Number	Droceuro	Flow	Radius
Quantity		Description	rait Number	riessuie	1100	Maurus
Sprinkler	S				4.50	40.0
6	•	Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 11
28	0	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	
24	0	Rain Bird 10Q	10Q	30 psi	0.39 gpm	
5	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
4	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft
8	•		MPR-30-Q	45 psi	1.4 gpm	30 ft
11	0	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	
13	0	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8ft
Meters/Pi	umps					
1	M					
Backflow	Devices					
1	60	Febco 715 - 1"	715 - 1"]		
Control V	alves					
11	•	Rain Bird 100-DVF	100-DVF]		
Y-Straine	rs / Filter	S				
1	60	Febco 650A-1"	4305]		
Irrigation	Accesso	ries				
1	M	Nelson 9501-100IN	9501-100IN	1		
1	A	Rain Bird ESP-4Me	ESP4ME			
1		Rain Bird RSD-BEx	RSD-BEx]		
Lateral Li	ine Pipe					
865 ft		Class 200 1"	0]		
Mainline	Pipe					
201 ft		Class 200 1"	0]		
Drip Tubi	ng			_		
1700	-	D-1- D:-// D 00 40	11000 12	1		

7312 PACE	REVINE
Design pressure	all zones 65psi.





JASON STUBBLEFIELD 9/21/2016



Water Source #1	
Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	0 ft

Service Line Information	
Pipe Category	Class 200 PVC
Pipe Size	Class 200 1"
Length	5 ft
Velocity	5 fps

Recommendations	
Maximum Recommended Flow	13 gpm
	58.39 psi

