

Maintenance Check List

Installation	Completion	Date:	10-11-16	

Address: 2728 Cong Lasso Pass


The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

10-11-16 Irrigation system owner/representative

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.

10/11/2016



Best of Texas Landscapes

POBOX776 HUTTO, TX78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
1-2	bed	spray-bubbl	ler 10-12
3-5	TUPE	Sprays	25
6-11	ture	no tors	45
12	gniss	dhip	30
	J.		
			1

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigat		Description	Part Number	Pressure	Flow	Radius
Quantity Sprinkler		Description		1.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5		
		Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
24 18	0	Rain Bird 1004	10Q	30 psi	0.39 gpm	10 ft
10	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
3		Rain Bird 5000-MPR-30-F - 5004-PL-FC	MPR-30-F	45 psi	5.78 gpm	30 ft
10	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC		45 psi		30 ft
11	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
18	ě	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	8 ft
16	0	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft
Meters/P		Transfer Section				
1	M		1]		
Backflow	-					
1	(oc)	Febco 715 - 1"	715 - 1"]		
Control \						
13	•	Rain Bird 100-DVF	100-DVF]		
	ers / Filter	A company of the comp				
1	(III)	Febco 650A-1"	4305]		
	Accesso					
1		Nelson 9501-100IN	9501-100IN	7		
1	A	Rain Bird ESP-4Me	ESP4ME	1		
1	1	Rain Bird RSD-BEx	RSD-BEx]		
Lateral L	ine Pipe					
882 ft	T	Class 200 1"	0			
Mainline	Pipe	2	Ava.	NO.		
202 ft		Class 200 1"	0			
Drip Tub	ina					
35 ft	9	Rain Bird LD-09-12	LD-09-12	7		

Meter Size	
Static Pressure	65 psi
Elevation Change	0 ft
Service Line Information	
Pipe Category	Class 200 PVC
Pipe Size	Class 200 1"
Length	5 ft
Velocity	5 fps
Recommendations	
Maximum Recommended Flow	0 gpm
Available Working Pressure	58.5 psi

2728 LONG LASSO PASS Design pressure all zones 65psi.





JASON STUBBLEFIELD 10/11/2016

