

#### Maintenance Check List

Installatio	on Comp	letion Date: /	03-16	
Address:	525	Garner	Park	


The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

10-3-16 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



| 10/3/2014 | Irrigator/Date

Irrigation Technician/ Date

# Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)		
1	bed	spraybb	10-12		
2-5	Forf	sorays	25		
6	tur f	potors	45		
7	aruss	drip	30		
	J				
		and the same of th			

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

#### **MAINTENANCE ITEMS**

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Name of the						
Irrigat	ion					
Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius
Sprinkler	S					
2	•	Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft
31	0	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
24	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	
2 4 7	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
4	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC		45 psi	1.4 gpm	30 ft
	•	Rain Bird 8H - 1804	8H	30 psi		8 ft
9	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft
Meters/P	Meters/Pumps					
1	M					
Backflow Devices						
1	<u>@</u>	Febco 715 - 1"	715 - 1"			
Control V	/alves					
8	•	Rain Bird 100-DVF	100-DVF			
Y-Straine	rs / Filter	S				
1	and the same of th	Febco 650A-1"	4305			
Irrigation	Accesso	ries				
1	M	Nelson 9501-100IN	9501-100IN			
1	A	Rain Bird ESP-4Me	ESP4ME			
1		Rain Bird RSD-BEx	RSD-BEx			
Lateral L	ine Pipe					
775 ft	-	Class 200 1"	0			
Mainline	Pipe	2				
251 ft	AND DES DES DES DES	Class 200 1"	0			
Drip Tubi	ng			-		
52 ft		Rain Bird LD-09-12	LD-09-12			
-				•		

Water Source #1	
Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	0 ft

Service Line Information	on
Pipe Category	Class 200 PVC
Pipe Size	Class 200 1"
Length	5 ft
Velocity	5 fps

Recommendations	
Maximum Recommended Flow	13 gpm
Available Working Pressure	58.39 psi

## 525 GARNER PARK Design pressure all zones 65psi.





### **JASON STUBBLEFIELD** 10/3/2016

