

Maintenanc	e Check List
Installation Completion Date: 2-3-17	
Address: 104 Orchard	
The following items have been provid system owner or system owner's repre	~
frequency of maintenance is atta A permanent sticker has been at	re maintenance and the recommended ached trached to the controller indicating the system and contact information. In plans indicating the actual the system.
Irrigation system owner/representative	2/3/2017 Date
This irrigation system has been installed state and local laws, ordinances, rules, the system and determined that it has beirrigation plan and is properly adjusted water at this time.	regulations or orders. I have tested been installed according to the
UASON E STUBBLEFIELD	Irrigation Technician/ Date

Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
1-6,11	Bed	BPray-bub	10-12
7,14	arass	drip	30
810	Yor-f	Sprays	25
12,13	turf	rotors	45
			3
	***	water and the same of the same	

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigati	ion		*	1 1		,
Quantity	Symbol	Description .	Part Number	Pressure	Flow	Radius
Sprinkler	S			•		, , , , , , , , , , , , , , , , , , , ,
21	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft
21 32 7	0	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft
7	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
4	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft
4	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
42	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	8 ft
59	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft
Meters/Pu	umps					
1	M					
Backflow	Devices		1.			
1	<u>@</u>	Conbraco 4A-205-T2	4A-205-T2			
Control V	alves	,				
15	•	Rain Bird 100-DVF	100-DVF	1		
Y-Straine	rs / Filter	S		•		
1	am a	Febco 650A-1"	4305	1		
Irrigation	Accesso	ries		'		
1	M	Nelson 9501-100IN	9501-100IN			
1	Æ	Rain Bird ESP-4Me	ESP4ME			
1		Rain Bird RSD-BEx	RSD-BEx			
Lateral Li	ne Pipe		<u> </u>	- 1		
1405 ft	<u> </u>	Class 200 1"	0			
Mainline	Pipe			•		
182 ft		Class 200 1"	0			
Drip Tubi	na	Annual Commence of the Commenc		,		
363 ft		Rain Bird LD-09-12	LD-09-12			
L	The same of the sa			1		

Water Source #1		
Meter Size	5/8 inch meter	
Static Pressure	65 psi	
Elevation Change	0 ft	
Service Line Informatio Pipe Category	Class 200 PVC	
Pipe Size	Class 200 1"	
	5 ft	
Length	JUIL	

Recommendations	
Maximum Recommended Flow	13 gpm
Available Working Pressure	58.39 psi

104 ORCHARD

Design pressure all zones 65psi.





Jason Stubblefield 2|3|2017



