

Maintenance Check List

Installation Completion Date: 2-17-17

Address: 2336 Broken wagon


The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

2-17-17 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



| 2|17|2017 | Irrigator/Date

Irrigation Technician/ Date



POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)		
1	Bed	spray-bub	10-12		
2-4	Hurf	Sprays	25		
5	HUrf	notors	45		
W.	ardss	dVP	30		
)				
autoter surdicination and an artist and a surface and a su					
		The state of the s			

Month	Average			
	Cycles			
Jan.	3			
Feb.	3			
March	4			
April	4			
May	7			
June	9			
July	11			
Aug.	11			
Sept.	9			
Oct.	6			
Nov.	4			
Dec.	3			

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigation									
Quantity	Symbol	Description .	Part Number	Pressure	Flow	Radius			
Sprinkler	Sprinklers								
2	•	Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft			
2 25	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm				
24	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft			
2	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft			
	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft			
7	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm				
10	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft			
Meters/Pumps									
1	M	·	1.						
Backflow Devices									
1	<u>©</u>	Conbraco 4A-205-T2	4A-205-T2	100					
Control V	alves								
7	•	Rain Bird 100-DVF	100-DVF						
Y-Straine	rs / Filter	S							
1	am .	Febco 650A-1"	4305						
Irrigation Accessories									
1	M	Nelson 9501-100IN	9501-100IN						
1	A	Rain Bird ESP-4Me	ESP4ME						
1		Rain Bird RSD-BEx	RSD-BEx						
Lateral Li	ne Pipe								
702 ft		Class 200 1"	0						
Mainline	Pipe								
239 ft		Class 200 1"	0						
Drip Tubi	Drip Tubing								
41 ft		Rain Bird LD-09-12	LD-09-12						

Meter Size -	5/8 inch meter		
Static Pressure	65 psi		
Elevation Change	0 ft		
Service Line Information			
Pipe Category	Class 200 PVC		
Pipe Size	Class 200 1"		
Length	5 ft		
Velocity	5 fps		
Recommendations			
Maximum Recommended Flow	13 gpm		
Available Working Pressure	58.39 psi		

2336 BROKEN WAGON Design pressure all zones 65psi.





Jason Stubblefield 2|17|2017

