

Maintenance Check List

Installation Completion Date: 3/9/17

Address: 2314 Grunite Hill


The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

3/9/17 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



3/9/20/1 Irrigator/Date

Irrigation Technician/ Date

## Best of Texas Landscapes

POBOX776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
1	Bed	Spraubub	10-12
2-6	turf	corrius	25
7	grass	drip	30
	U		
		and the second s	
			2

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

## MAINTENANCE ITEMS


Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigati	on				
				·	-
Quantity	Symbol	Description	Part Number	Pressure	Flow
Sprinkler	S				
3	•	Rain Bird 10F - 1804	10F	30 psi	1.58 gpm
31	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm
18	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm
4	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm
6	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm
12	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm
Meters/Pu	ımps				
1	M			i.	
Backflow	Devices				
1	66	Conbraco 4A-205-T2	4A-205-T2		
Control V	alves				
8	•	Rain Bird 100-DVF	100-DVF		
Y-Straine	rs / Filter:	S			
1	amp .	Febco 650A-1"	4305		
Irrigation	Accesso	ries			
1	M	Nelson 9501-100IN	9501-100IN		
1	<u>A</u>	Rain Bird ESP-4Me	ESP4ME		
1		Rain Bird RSD-BEx	RSD-BEx		
Lateral Li	ne Pipe				
654 ft		Class 200 1"	0	]	
Mainline	Pipe				
188 ft	800 100 GH SEE UP	Class 200 1"	0	]	
Drip Tubi	ng				
38 ft		Rain Bird LD-09-12	LD-09-12		
	PROFESSION OF THE PROFESSION O			128	

Meter Size	5/8 inch meter	
Static Pressure	65 psi	
Elevation Change	0 ft	
Service Line Information		
Pipe Category	Class 200 PVC	
Pipe Size	Class 200 1"	
Length	5 ft	
Velocity	5 fps	
Recommendations		
Maximum Recommended Flow	13 gpm	
Available Working Pressure	58.39 psi	

Radius

## 2316 GRANITE HILL Design pressure all zones 65psi.





Jason Stubblefield 3|9|2017

