

Maintenance Check List

Installation Completion Date: 12-4-17

Address: 4221 VPSPa CV.

The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

124 17 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.

MASON E STUBBLEFIELD

12003
9/STE

12 | 4 | 2017 Irrigator/Date

Irrigation Technician/ Date

Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone#	Zone # Description H		Run Time(Minutes)
	Bed	spray-bub	10-12
2-6	turt	Spray	25
7-8	turf	10 TOV	45
9	grass	anp	30
	У		
CONTROL CONTRO			A CONTRACTOR OF THE PROPERTY O

Month	Average	
	Cycles	
Jan.	3	
Feb.	3	
March	4	
April	4	
May	7	
June	9	
July	11	
Aug.	11	
Sept.	9	
Oct.	6	
Nov.	4	
Dec.	3	

MAINTENANCE ITEMS

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigat	ion						
Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius	
Sprinkler	Sprinklers						
10		Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft	
34	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft	
19	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	10 ft	
2 4 5	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft	
4	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi	2.96 gpm	30 ft	
	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft	
12	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm	8 ft	
11	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft	
Meters/P	umps						
1	M]			
Backflow	Devices			-			
1	O	Febco 850 - 1"	850 - 1"	1			
Control V	/alves						
10	•	Rain Bird 100-DVF	100-DVF]			
Y-Straine	rs / Filter	S		-			
1	GIID.	Febco 650A-1"	4305]			
Irrigation Accessories							
1	×	Nelson 9501-100IN	9501-100IN	1			
1	æ	Rain Bird ESP-4Me	ESP4ME	1			
1		Rain Bird RSD-BEx	RSD-BEx	1			
Lateral Li	ine Pipe			-			
1009 ft		Class 200 1"	0]			
Mainline	Pipe			-			
246 ft		Class 200 1"	0]			
Drip Tubi	ng		4	•			
213 ft		Rain Bird LD-09-12	LD-09-12]		0.0	
				•		4" //	

Water Source #1	
Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	0 ft

Service Line Information		
Pipe Category	Class 200 PVC	
Pipe Size	Class 200 1"	
Length	5 ft	
Velocity	5 fps	

Recommendations	
Maximum Recommended Flow	13 gpm
Available Working Pressure	58.39 psi

4221 VESPA CV.

Design pressure all zones 65psi.





Jason Stubblefield 12|4|2017



