

Maintenance Check List

Installation Completion Date: 2-14-18

Address: 794 Jacksdaw Dr

The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

2-14-18 Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



2/14/2018

Irrigation Technician/ Date

## Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634

(512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
1-2	Bed	spray-bub	10-12
3-7	turf	spray	25
8-11	furf	rotor	45
		•	,
		Since the second	
			None to the second seco
			*

Month	Average			
×	Cycles			
Jan.	3			
Feb.	3			
March	4			
April	4			
May	7			
June	9			
July	11			
Aug.	11			
Sept.	9			
Oct.	6			
Nov.	4			
Dec.	3			

## **MAINTENANCE ITEMS**

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position


Irrigat	ion					
Quantity	Symbol	Description	Part Number	Prossura	Flow	Radius
Sprinkler	'S		T are realition	11000010	1 1000	Naulus
3		Rain Bird 10F - 1804	10F	30 psi	1 50	40.0
31	•	Rain Bird 10H - 1804	10H	30 psi	1.58 gpm	
24	0	Rain Bird 10Q	10Q	30 psi	0.79 gpm	
24 3	0	Rain Bird 1300A-F	1300AF	30 psi	0.39 gpm	
2 6		Rain Bird 5000-MPR-30-F - 5004-PL-FC	MPR-30-F		1.7 gpm	0 ft
6	0	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MDD 30 H	45 psi		
8	•		MPR-30-Q	45 psi	2.96 gpm	
15	0	Rain Bird 8H - 1804	8H	45 psi	1.4 gpm	30 ft
13	0	Rain Bird 8Q - 1804	8Q	30 psi 30 psi	0.52 gpm	
Meters/Pi	umps	1001	IUQ	30 psi	0.26 gpm	8 π
1	M					
Backflow	Devices					
1	<u>©</u>	Febco 850 - 1"	850 - 1"			
Control V	alves		, , , , , , , , , , , , , , , , , , , ,			
12	•	Rain Bird 100-DVF	100-DVF			
Y-Straine	rs / Filter	5	100 0 11			
1	an an	Febco 650A-1"	4305			
Irrigation	Accessor	ries	1000			
1	M	Nelson 9501-100IN	9501-100IN			
1	Æ	Rain Bird ESP-4Me	ESP4ME			
1		Rain Bird RSD-BEx	RSD-BEx			
Lateral Li	ne Pipe		I COD DEA			
892 ft		Class 200 1"	0			
Mainline I	Pipe					
218 ft		Class 200 1"	0			


## 794 JACKSDAW DR Design pressure all zones 65psi.





Jason Stubblefield 2|14|2018





ZONE 8

Water Source #1 Meter Size Static Pressure Elevation Change

Service Line Information
Pipe Category
Pipe Size
Length
Velocity

Recommendations

Maximum Recommended Flow 13 gpm
Available Working Pressure 58.39 psi

5/8 inch meter 65 psi 0 ft

Class 200 PVC Class 200 1" 5 ft 5 fps