

Maintenance Check List

Installation Completion Date: 3-13-18

Address: 12578 Mesq Verde Dr.

The following items have been provided and explained to the irrigation system owner or system owner's representative.


- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

3-13-18

Date

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



3/13/20/8 | Irrigator/Date

Irrigation Technician/ Date

## Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634

(512)228-4833 (512)852-9633 fax

Zone#	Description	Head Type	Run Time(Minutes)
1,9	Bed	Spray-bub	10-12
2-4	turf	spray	25
5-8	turf	VOTOR	45

Month	Average		
	Cycles		
Jan.	3		
Feb.	3		
March	4		
April	4		
May	7		
June	9		
July	11		
Aug.	11		
Sept.	9		
Oct.	6		
Nov.	4		
Dec.	3		


## **MAINTENANCE ITEMS**

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose
Controller – Check seasonally for correct run times
Winter – Run system briefly every 2 weeks if system remains in off position

Irrigation							
Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius	
Sprinklers	S					rtuuruo	
30	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	10 ft	
21	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm		
2	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft	
1	•	Rain Bird 5000-MPR-30-F - 5004-PL-FC	MPR-30-F	45 psi	5.78 gpm		
6 8	•	Rain Bird 5000-MPR-30-H - 5004-PL-PC		45 psi	2.96 gpm		
8	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft	
9	•	Rain Bird 8H - 1804	8H	30 psi	0.52 gpm		
10	•	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm		
Meters/Pu	ımps						
1	M						
Backflow	Devices		h	ļ			
1	<u>©</u>	Febco 850 - 1"	850 - 1"				
	ontrol Valves						
9	•	Rain Bird 100-DVF	100-DVF				
Y-Straine	/-Strainers / Filters						
1	OM)	Febco 650A-1"	4305				
Irrigation	Accessor	ries					
1	$\bowtie$	Nelson 9501-100IN	9501-100IN				
1	A	Rain Bird ESP-4Me	ESP4ME	-			
1		Rain Bird RSD-BEx	RSD-BEx				
Lateral Li	ne Pipe						
702 ft		Class 200 1"	0				
Mainline F	Pipe						
178 ft		Class 200 1"	0				
			····				

Water Source #1	TEG : .		
Meter Size	5/8 inch meter		
Static Pressure	65 psi		
Elevation Change	0 ft		
Service Line Information			
Pipe Category	Class 200 PVC		
Pipe Size	Class 200 1"		
Length	5 ft		
Velocity	5 fps		
Recommendations			
Maximum Recommended Flow	13 gpm		
Available Working Pressure	58.39 psi		

## 12578 MESA VERDE DR. Design pressure all zones 65psi.





Jason Stubblefield 3/13/2018

