

Maintenance Check List

Installation Completion Date: 4 29-18


Address: 539 Stone River Dr.

The following items have been provided and explained to the irrigation system owner or system owner's representative.

- The manufacturer's manual for the controller.
- A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance is attached
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.

Irrigation system owner/representative

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.



6/29/2018

Irrigation Technician/ Date

## Best of Texas Landscapes

POBOX 776 HUTTO, TX 78634 (512)228-4833 (512)852-9633 fax

Zone #	Description	Head Type	Run Time(Minutes)
1-2	Bed	SD1024-bub	10-12
3-6	turf	Spray	25
7-9	turf	hotor	45
			*

Month	Average
	Cycles
Jan.	3
Feb.	3
March	4
April	4
May	7
June	9
July	11
Aug.	11
Sept.	9
Oct.	6
Nov.	4
Dec.	3

## **MAINTENANCE ITEMS**

Backflow device – Test Annually (Call Louis Sinclair 563-8762)
Y-strainer – Check annually for debris
Heads – Run system monthly to check for leaks or broken nozzles
Valve covers – Trim grass around cover to expose

Controller – Check seasonally for correct run times

Winter - Run system briefly every 2 weeks if system remains in off position

Irrigati	ion					
Quantity	Symbol	Description	Part Number	Pressure	Flow	Radius
Sprinkler	S				1	
1	•	Rain Bird 10F - 1804	10F	30 psi	1.58 gpm	10 ft
33 25 2 4 8	•	Rain Bird 10H - 1804	10H	30 psi	0.79 gpm	
25	•	Rain Bird 10Q	10Q	30 psi	0.39 gpm	
2	0	Rain Bird 1300A-F	1300AF	30 psi	1.7 gpm	0 ft
4	•	Rain Bird 5000-MPR-30-H - 5004-PL-PC	MPR-30-H	45 psi		30 ft
8	•	Rain Bird 5000-MPR-30-Q - 5004-PL-PC	MPR-30-Q	45 psi	1.4 gpm	30 ft
10	•	Rain Bird 8H - 1804	8H	30 psi		
13	0	Rain Bird 8Q - 1804	8Q	30 psi	0.26 gpm	8 ft
Meters/Pumps						
1	M			1		
Backflow	Devices			,		
1	<u>©</u>	Febco 850 - 1"	850 - 1"	1		
Control V	alves		h-10-77-77-77-7-7-7-7-7-7-7-7-7-7-7-7-7-7			
10	•	Rain Bird 100-DVF	100-DVF			
Y-Straine	rs / Filter:	S		1		
1	an	Febco 650A-1"	4305			
Irrigation	Accesso	ries				
1	M	Nelson 9501-100IN	9501-100IN			
1 1 1	Æ	Rain Bird ESP-4Me	ESP4ME			
1		Rain Bird RSD-BEx	RSD-BEx			
Lateral Li	ne Pipe					
1021 ft		Class 200 1"	0			
Mainline I	Pipe					
208 ft		Class 200 1"	0			


Water Source #1	
Meter Size	5/8 inch meter
Static Pressure	65 psi
Elevation Change	O ft

Service Line Informati	on
Pipe Category	Class 200 PVC
Pipe Size	Class 200 1"
Length	5 ft
Velocity	5 fps

Recommendations	
Maximum Recommended Flow	13 gpm
Available Working Pressure	58.39 psi

## 539 STONE RIVER DR

Design pressure all zones 65psi.





Jason Stubblefield 6|29|2018

