System Owner / Representative

Date



-(DC) 0 00 100 **15** 13 14

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.

NOTE: ALL Piping shown is diagrammatic and NOT illustrating actual location.

# BEST OF TEXAS LANDSCAPES LIBERTY HILL, TEXAS 78642 (512) 260-1430

1" = 20'

## Legend

Backflow

Control Valve

Spray - Shrub

Spray - Lawn

Rotor - Lawn

**Drip Tubing** 

- - • Main Line

### **Recommended Run Times** (minutes)

 Spray – Shrub 25 Spray - Lawn

45 Rotor - Lawn

## **Recommended Monthly Cycles**

3

6

(Water Days)

3 January

February

March

April

May

9 June

11

July

11 August

9 September

October

November 4

December 3


#### Recommended Maintenance

- Backflow Test Annually (contact Lewis Sinclair 512-563-8762)
- Filter Check Annually for debris
- Heads Run system monthly checking for leaks or broken heads
- · Valve Covers Trim grass to keep exposed
- · Controller Seasonal update programming
- Winter Run system briefly every 2 weeks if system turned off

#### COMPLETION ITEMS PROVIDED

- The manufacturer's manual for the controller.
- · A seasonal watering schedule.
- A list of components that require maintenance and the recommended frequency of maintenance.
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.





2421 HIGH LONESOME

PROJECT 2421 HIGH LONESOME LEANDER TX 78641

LOT 10 BLK N CRYSTAL FALLS GRAND MESA

www.bestoftexaslandscapes.com