## Recommended Run Times (minutes)

- Spray Shrub 12
- Spray Lawn 25
- Rotor Lawn 45
   Drip Lawn 45

## **Recommended Monthly Cycles**

3

### (Water Days)

- January
- February 3
- March 4
- April
- May
- June
- 1.1.
- July 11
- August 11
- September
- October 6
- November 4
- December 3

#### Recommended Maintenance

- Backflow Test Annually
- Filter Check Annually for debris
- Heads Run system monthly checking for leaks or broken heads
- Valve Covers Trim grass to keep exposed
- Controller Seasonal update programming
- Winter Run system briefly every 2 weeks if system turned off

# <u>Legend</u>

- Control Valve
- Spray Shrub
- Spray Lawn
- ▼ Rotor Lawn
- Drip Tubing
- - Main Line

#### **COMPLETION ITEMS PROVIDED**

- The manufacturer's manual for the controller.
- A seasonal watering schedule.

IASON STUBBLEFIELD

- A list of components that require maintenance and the recommended frequency of maintenance.
- A permanent sticker has been attached to the controller indicating the warranty period for the irrigation system and contact information.
- The corrected or re-drawn design plans indicating the actual installation and components of the system.
- Location and operation of the isolation valve.



Best of Texas

Landscapes

# **1828 ALASIO DRIVE**

This irrigation system has been installed in accordance with all applicable state and local laws, ordinances, rules, regulations or orders. I have tested the system and determined that it has been installed according to the irrigation plan and is properly adjusted for the most efficient application of water at this time.

System Owner / Representative

Date

NOTE: ALL Piping shown is diagrammatic and NOT illustrating actual location.

# 9,24,2024 OATE: 9,24,2024 OATE: 9,24,2024 OB NUMBER: 78641ALA1828 DRAWN BY: STUBBLEFIELD CHECKED BY: STUBBLEFIELD SCALE: 1 of 1

#### PROJECT:

1828 ALASIO DRIVE LEANDER, TX 78641

LOT 28 BLOCK DD TRAVISSO



#### COMPANY:

20

BEST OF TEXAS LANDSCAPES LIBERTY HILL, TEXAS 78642

(512) 260-1430

www.bestoftexaslandscapes.com